

## Material Safety Data Sheet

**SURE-FLEX REINFORCED PVC MEMBRANE**

**MSDS No. 317040**

Date of Preparation: 10/12/2010

Revision: 000

### Section 1 - Chemical Product and Company Identification

**Product/Chemical Name:** Sure-Flex Reinforced PVC Membrane (Standard and FRS)  
**Chemical Formula:** Mixture  
**General Use:** Roof and Waterproofing Membrane  
**Manufacturer:** Carlisle Construction Materials Incorporated, 1285 Ritner Highway, Carlisle, PA 17013  
 Phone: 800-479-6832  
**Emergency Phone Number:** CHEMTREC (USA) 800-424-9300

### Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number	% wt or % vol
PVC (chloroethylene polymer)	9002-86-2	>40
Antimony trioxide	1309-64-4	>2
Stabilizers (trade secret)		>5
Plasticizers (trade secret)		>10
Titanium dioxide	13463-67-7	>5

**Hazardous Ingredients:**

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	
This product is considered to be a finished article as defined by 29 CFR 1910.1200 and is exempt from the requirements of the Hazard Communication standard. This product is nonhazardous as per 29 CFR 1910.1200.							

### Section 3 - Hazards Identification

#### ☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

<b>HMIS</b>
<b>H</b> 0
<b>F</b> 1
<b>P</b> 0
<b>PPE</b> <sup>†</sup>
<sup>†</sup> Sec. 8

#### Potential Health Effects


**Primary Entry Routes:** None  
**Target Organs:** Not Applicable  
**Acute Effects**  
**Inhalation:** Inhalation of vapor from this product during heat welding may cause respiratory tract irritation.  
**Eye:** Vapor from this product during heat welding may irritate eyes.  
**Skin:** Exposure to hot surfaces during heat welding may cause thermal burns.  
**Ingestion:** Ingestion difficult, no known health effects.  
**Carcinogenicity:** None Known  
**Medical Conditions Aggravated by Long-Term Exposure:** None Known  
**Chronic Effects:** None Known

### Section 4 - First Aid Measures

**Inhalation:** If breathing becomes difficult, remove person from heat welding area and get medical attention.  
**Eye Contact:** If eye irritation continues after welding, flush eyes with water for 15 minutes  
**Skin Contact:** If skin is burned from welding operation, cool with running water. Get medical attention if necessary.  
**Ingestion:** Not Applicable  
*After first aid, get appropriate in-plant, paramedic, or community medical support.*  
**Note to Physicians:** None  
**Special Precautions/Procedures:** None

## Section 5 - Fire-Fighting Measures

**Flash Point:** Above 329 °C  
**Flash Point Method:** Setchkin  
**Burning Rate:** Not Determined  
**Autoignition Temperature:** >357 °C  
**LEL:** Not Applicable  
**UEL:** Not Applicable



**Flammability Classification:** Not flammable.

**Extinguishing Media:** Water spray, dry chemical, foam, or carbon dioxide.

**Unusual Fire or Explosion Hazards:** None

**Hazardous Combustion Products:** Toxic gases or vapors, such as carbon monoxide, hydrogen chloride and other organic compounds may be released in a fire.

**Fire-Fighting Instructions:** Standard procedures for Class A fires. Use self-contained breathing apparatus (SCBA) and protective clothing for structural fire fighting.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

## Section 6 - Accidental Release Measures

**Spill /Leak Procedures:** Handle as normal solid waste.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.1200).

## Section 7 - Handling and Storage

**Handling Precautions:** Keep away from sparks and open flame.

**Storage Requirements:** This product may react with strong oxidizing agents and should not be stored near such materials. Best to store rolls in areas protected by automatic sprinklers. Store product below 60°C (140°F) to prevent roll sticking at installation

**Regulatory Requirements:** Not Applicable

## Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** Provide adequate ventilation during heat welding.

**Ventilation:** Heat welding in an outdoor environment will normally provide adequate ventilation.

**Administrative Controls:** Assure that adequate ventilation is provided during heat welding.

**Respiratory Protection:** A respiratory protection program that meets OSHA 1910.134, ANSI Z88.2 and / or CSA Z94.4-93 requirements must be followed whenever workplace conditions warrant use of a respirator.

**Protective Clothing/Equipment:** Work boots and work clothing recommended. Sunglasses which filter out ultraviolet light are strongly recommended since the white surface is highly reflective to sunlight. White surfaces reflect heat and light.

Roofing technicians should dress appropriately and wear sunscreen to protect skin from the sun.

**Safety Stations:** Emergency eyewash stations or source of clean running water recommended in vicinity of project

**Contaminated Equipment:** Not Applicable

**Comments:** Never eat, drink, or smoke in work areas. Best to wash hands after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

## Section 9 - Physical and Chemical Properties

**Physical State:** Solid

**Appearance and Odor:** White-on-black sheet; moderate odor new. (white may be replaced by tan, gray, etc)

**Odor Threshold(ppm):** Not Determined

**Vapor Pressure:** Not Applicable

**Vapor Density (Air=1):** Not Applicable

**Formula Weight:** Not Applicable

**Density:**

**Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 1.30 – 1.40

**pH:** Not Applicable

**Water Solubility:** Practically insoluble in water

**Other Solubilities:** Not Determined

**Boiling Point(°C):** Not Applicable

**Freezing/Melting Point(°C):** >120

**Viscosity:** Not Applicable

**Refractive Index:** Not Applicable

**Surface Tension:** Not Applicable

**% Volatile:** Not Determined

**Evaporation Rate:** Not Applicable

## Section 10 - Stability and Reactivity

**Stability:** Stable.

**Polymerization:** Will not occur.

**Chemical Incompatibilities:** Any strong oxidizing agent.

**Conditions to Avoid:** Keep away from heat, sparks or open flame

**Hazardous Decomposition Products:** Gases or vapors such as carbon monoxide, carbon dioxide, hydrogen chloride or oxides of nitrogen, and other organic compounds may be released in a fire.

### Section 11- Toxicological Information

**Eye Effects:** None Known  
**Skin Effects:** None Known

#### Toxicity Data:

**Acute Inhalation Effects:** None Known  
**Acute Oral Effects:** None Known  
**Chronic Effects:** None Known  
**Carcinogenicity:** No evidence  
**Mutagenicity:** No evidence.  
**Teratogenicity:** No evidence.

### Section 12 - Ecological Information

**Ecotoxicity:** None Known  
**Environmental Fate:** This product is not readily biodegradable  
**Environmental Degradation:** Not Determined  
**Soil Absorption/Mobility:** Not Determined

### Section 13 - Disposal Considerations

**Disposal:** (1) Recycle / reprocess; (2) Incineration including energy recovery of waste material in a permitted facility in accordance with local, state or federal regulations; (3) Landfilling in a licensed facility in accordance with local, state or federal regulations  
**Disposal Regulatory Requirements:** This product is not judged to be a hazardous waste by any local, state or federal regulation. This product is not listed in the U.S. federal hazardous waste regulations, 40 CFR 261.33 paragraphs (e) or (f)  
**Container Cleaning and Disposal:** Not Applicable

### Section 14 - Transport Information

#### DOT Transportation Data (49 CFR 172.101):

This product is not regulated by DOT, IMO, IATA, Canadian TDG and associated regulations ADR or RID.

### Section 15 - Regulatory Information

#### EPA Regulations:

RCRA Hazardous Waste Number: Not Listed  
RCRA Hazardous Waste Classification: Not Classified  
CERCLA Hazardous Substance: Not Listed  
CERCLA Reportable Quantity (RQ): Not Listed  
SARA 311/312 Codes: This product is not subject to SARA Title III requirements  
SARA Toxic Chemical (40 CFR 372.65): Not listed  
SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not Listed

#### OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed  
OSHA Specifically Regulated Substance: Not Listed

**State Regulations:** California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer.

### Section 16 - Other Information

**Prepared By:** Research & Development (BG)  
**Revision Notes:** Original entry for 16-part format

#### Additional Hazard Rating Systems:

**Disclaimer:** The information contained in this document is based upon data that was supplied to Carlisle by other companies and organizations. No warranty of merchantability or fitness for a particular purpose is expressed or implied regarding the accuracy or completeness of the data and/or information in this material safety data sheet.