

---

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

---

**Material Name:** Sure-White Lap Sealant

**Synonym:** Sealant

**Chemical Family:** Solvent Based Sealant

**Product Use:** Sealant for EPDM Single-Ply Roofing Membranes

**Restrictions on Use:** For industrial use only.

**Manufacturer Information**

Carlisle SynTec  
1285 Ritner Highway  
Carlisle, PA 17013  
USA  
Phone: +1-800-479-6832  
Emergency Phone #: +1-800-424-9300 (CHEMTREC)

---

**Section 2 - HAZARDS IDENTIFICATION**

---

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Flammable Solid - Category 1

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

Carcinogen- Category 1B

**GHS Label Elements**

**Symbol(s)**



**Signal Word**

Danger

**Hazard Statement(s)**

Flammable solid

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

**Precautionary Statement(s)**

**Prevention**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

Read label before use.  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Use explosion-proof electrical/ventilating/lighting/equipment.  
 Wear protective gloves / eye protection / face protection.  
 Wear protective gloves.  
 Wear eye protection / face protection.  
 Ground/bond container and receiving equipment.  
 Wash thoroughly after handling.  
 Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Specific treatment (see on this label).  
 IF exposed or concerned: Get medical advice/attention.  
 If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 In case of fire: Use for extinction: CO2, powder or water spray.  
 If on skin: Wash with plenty of water.  
 Take off contaminated clothing and wash it before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards**

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

---

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

CAS	Component Name	Percent
64742-89-8	Solvent naphtha (petroleum), light aliph.(VM&P)	25-50
1317-65-3	Limestone	5-20
13463-67-7	titanium dioxide	2.5-10
68953-58-2	organoclay [containing 0-3% quartz CAS 14808-60-7]	2.5-10
112945-52-5	Amorphous Silica	1.0
1305-78-8	calcium oxide	1.0
57-11-4	stearic acid, pure	0.5

## Safety Data Sheet

Material Name: Sure WhiteLap Sealant

Product #: 302174

14808-60-7	Quartz (SiO <sub>2</sub> )	0.1
------------	----------------------------	-----

**Additional information:**

It is highly unlikely the powders and pigments compounded within this product would pose a hazardous risk from inhalation as they are no longer a respirable particulate. Exposure to these ingredients as used in sealants, putties, bedding compounds and other non-sprayable products is highly unlikely. The concentrations listed in the composition section are percent by weight unless a gas. Gas concentrations are expressed in percent by volume.

---

### Section 4 - FIRST AID MEASURES

---

**Description of Necessary Measures**

If exposed or concerned: Get medical advice/attention.

**Inhalation**

Remove to fresh air and seek medical attention.

**Skin**

Immediately wash with water and soap and rinse thoroughly

**Eyes**

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment

**Ingestion**

If swallowed, get medical attention.

**Information for doctor:**

- Most important symptoms and effects, both acute and delayed  
No further relevant information available.
- Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

---

### Section 5 - FIRE FIGHTING MEASURES

---

**Extinguishing Media**

**Suitable Extinguishing Media**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray

**Special Hazards Arising from the Chemical**

Formation of toxic gases is possible during heating or in case of fire.

**Fire Fighting Measures**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation.

### Methods and Materials for Containment and Cleaning Up

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation..

### Environmental Precautions

Do not allow to enter sewers/ surface or ground water.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## Section 7 - HANDLING AND STORAGE

---

### Precautions for Safe Handling

Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after handling.

Open and handle receptacle with care

### Information about protection against explosions and fires:

Keep container closed when not in use

### Conditions for Safe Storage, Including any Incompatibilities

#### Storage

Requirements to be met by storerooms and receptacles: No special requirements.

#### • Information about storage in one common storage facility:

Store away from oxidizing agents.

#### • Further information about storage conditions:

Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

---

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Component Exposure Limits

<b>titanium dioxide</b>	13463-67-7
PEL	Long-term value: 15* mg/m <sup>3</sup> *total dust
REL	See Pocket Guide App. A

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

TLV	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC	
<b>calcium oxide</b>	1305-78-8	
PEL	Long-term value: 5 mg/m <sup>3</sup>	
REL	Long-term value: 2 mg/m <sup>3</sup>	
TLV	Long-term value: 2 mg/m <sup>3</sup>	
<b>Quartz</b>	14808-60-7	
PEL	See quartz listing	
REL	Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A	
TVL	Long-term value: 0.025* mg/m <sup>3</sup> *as respirable fraction	
Mexico:	3 mg/m <sup>3</sup> TWA LMPE-PPT respirable fraction	
<b>Silica, crystalline</b>	14808-60-7	
ACGIH:	0.025 mg/m <sup>3</sup> TWA respirable fraction	
NIOSH:	0.05 mg/m <sup>3</sup> TWA respirable dust	50 mg/m <sup>3</sup> IDLH respirable dust
OSHA (US):	((30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA) total dust; ((250)/(%SiO <sub>2</sub> + 5) mppcf TWA) respirable fraction; ((10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA) respirable fraction	
Mexico:	0.1 mg/m <sup>3</sup> TWA LMPE-PPT respirable fraction	

**Additional information:**

The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment (see listings below)
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

**• Breathing equipment:**

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/face protection**

Safety glasses with side shields. Tightly sealed goggles.

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

**Skin Protection**

**Body Protection**

Protective work clothing.

**Glove Recommendations**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed..

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Pasty solid	<b>Physical State</b>	Solid
<b>Odor</b>	Petroleum-like	<b>Color</b>	White
<b>Odor Threshold</b>	Not determined	<b>pH</b>	Not determined
<b>Melting Point</b>	Undetermined	<b>Boiling Point</b>	104 °C (219 °F)
<b>Boiling Point Range</b>	Not available	<b>Flammability (solid, gas)</b>	Not determined
<b>Autoignition</b>	Product is not selfigniting	<b>Flash Point</b>	18 °C (64 °F)
<b>Upper Flammability limit</b>	6.7%	<b>Decomposition</b>	Not determined
<b>Lower Flammability limit</b>	0.9 %	<b>Vapor Pressure</b>	Not determined
<b>Vapor Density (air=1)</b>	Not determined	<b>Specific Gravity at 20 °C (68 °F):</b>	1.04 g/cm <sup>3</sup> (8.679 lbs/gal)
<b>Water Solubility</b>	negligible	<b>Partition coefficient: n-octanol/water</b>	Not determined
<b>Kinematic Viscosity</b>	>20.5 cSt	<b>Solubility / Miscibility with Water:</b>	Not soluble

## Safety Data Sheet

Material Name: Sure WhiteLap Sealant

Product #: 302174

<b>Relative/Vapor Density</b>	Not determined	<b>VOC</b>	<450 g/L
-------------------------------	----------------	------------	----------

### Other Information

No additional information available.

---

## Section 10 - STABILITY AND REACTIVITY

---

### Reactivity

No reactivity hazard is expected.

### Chemical Stability

Stable under normal conditions of use.

### Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

### Incompatible Materials

Strong oxidizing agents, acids, bases

### Hazardous decomposition products

Oxides of carbon, oxides of nitrogen

---

## Section 11 - TOXICOLOGICAL INFORMATION

---

### Information on Likely Routes of Exposure

#### Inhalation

May cause respiratory irritation.

#### Skin Contact

Causes skin irritation.

#### Eye Contact

Causes serious eye irritation.

#### Ingestion

May cause gastrointestinal irritation.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Severely hydrotreated paraffinic oil (Trade Secret)

Oral LD50 Rat >5000 mg/kg

Dermal LD50 Rabbit >2000 mg/kg

Carbon compound (Trade Secret)

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

Oral LD50 Rat >15400 mg/kg

Polyphenol antioxidant (Trade Secret)

Oral LD50 Rat >200 mg/kg

Dermal LD50 Rabbit >5010 mg/kg

Naphtha, petroleum, light aliphatic (64742-89-8)

Oral LD50 Mouse 5000 mg/kg

Dermal LD50 Rabbit 3000 mg/kg

Solvent naphtha, petroleum, medium aliphatic (64742-88-7)

Oral LD50 Rat >5000 mg/kg

Dermal LD50 Rabbit 3000 mg/kg

Silica, crystalline (14808-60-7)

Oral LD50 Rat 500 mg/kg

### Immediate Effects

Cause skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause gastrointestinal irritation.

### Delayed Effects

Causes damage to organs through prolonged or repeated exposure: lungs, central nervous system.

### Irritation/Corrosivity Data

Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

### Respiratory Sensitization

No data available.

### Dermal Sensitization

It may cause sensitization in some individuals.

### Component Carcinogenicity

<b>Silica compound</b>	Trade Secret
IARC:	Monograph 68 [1997] (Group 3 (not classifiable))
<b>Carbon compound</b>	Trade Secret
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC:	Monograph 93 [2010]; Monograph 65 [1996] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 3B (could be carcinogenic for man, inhalable fraction)
OSHA:	Present



## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

<b>Silica, crystalline</b>	14808-60-7
ACGIH:	A2 - Suspected Human Carcinogen
IARC:	Monograph 100C [2012]; Monograph 68 [1997] (Group 1 (carcinogenic to humans))
NTP:	Known Human Carcinogen (respirable size)
DFG:	Category 1 (causes cancer in man, alveola fraction)
OSHA:	Present (respirable size)

**Germ Cell Mutagenicity**

No data available.

**Reproductive Toxicity**

No data available.

**Specific Target Organ Toxicity - Single Exposure**

May affect the central nervous nervous system: drowsiness, dizziness.

**Specific Target Organ Toxicity - Repeated Exposure**

May cause damage to organs through prolonged or repeated exposure: lungs, central nervous system.

**Aspiration hazard**

May cause aspiration hazard.

**Medical Conditions Aggravated by Exposure**

May cause allergic skin reaction. Aspiration into the lungs may cause chemical pneumonitis.

**Additional Data**

This product contains crystalline silica, which is a known carcinogen. However, this component is bound by the polymer portion of the sealant. The only way this component would be released is through incineration. Therefore, this product is not considered a carcinogen.

**Section 12 - ECOLOGICAL INFORMATION**

**Ecotoxicity**

Avoid release to the environment.

**Component Analysis - Aquatic Toxicity**

<b>Severely hydrotreated paraffinic oil</b>	Trade Secret
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Polyphenol antioxidant</b>	Trade Secret

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

Fish:	LC50 96 h Oncorhynchus mykiss >0.2 mg/L [semi-static]
Algae:	EC50 72 h Pseudokirchneriella subcapitata >0.2 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna >0.2 mg/L IUCLID
<b>Naphtha, petroleum, light aliphatic</b>	64742-89-8
Algae:	EC50 72 h Pseudokirchneriella subcapitata 4700 mg/L IUCLID
<b>Solvent naphtha, petroleum, medium aliphatic</b>	64742-88-7
Fish:	LC50 96 h Pimephales promelas 800 mg/L [static]
Algae:	EC50 96 h Pseudokirchneriella subcapitata 450 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna >100 mg/L IUCLID

**Persistence and Degradability**

No information available for the product.

**Bioaccumulative Potential**

No information available for the product.

**Mobility**

No information available for the product.

**Other Toxicity**

No additional information available.

**Section 13 - DISPOSAL CONSIDERATIONS**

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Section 14 - TRANSPORT INFORMATION**

**US DOT Information:**

**Shipping Name:** ADHESIVES

**Hazard Class:** 3



# Safety Data Sheet

**Material Name:** Sure WhiteLap Sealant

**Product #:** 302174

**UN/NA #:** UN1133

**Packing Group:** II

**Required Label(s):** < 0.3 gal (limited quantity)

**IATA Information:**

**Shipping Name:** ADHESIVES

**Hazard Class:** 3

**UN#:** UN1133

**Packing Group:** II

**Required Label(s):** < 0.3 gal (limited quantity)

**TDG Information:**

**Shipping Name:** ADHESIVES

**Hazard Class:** 3

**UN#:** UN1133

**Packing Group:** II

**Required Label(s):**

---

## Section 15 - REGULATORY INFORMATION

---

### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C)**

**Acute Health:** Yes **Chronic Health:** Yes **Fire:** Yes **Pressure:** No **Reactivity:** No

### U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Silica compound	Trade Secret	No	Yes	Yes	Yes	Yes
Limestone	1317-65-3	No	Yes	Yes	Yes	Yes
Carbon compound	Trade Secret	Yes	Yes	Yes	Yes	Yes
Mica	12001-26-2	Yes	Yes	Yes	Yes	Yes
Solvent naphtha, petroleum, medium aliphatic	64742-88-7	No	No	No	Yes	No
Silica, crystalline	14808-60-7	No	Yes	Yes	Yes	Yes

**The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):**

**WARNING!** This product contains a chemical known to the state of California to cause cancer

Carbon compound	Trade Secret
-----------------	--------------

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

Carc:	carcinogen , initial date 2/21/03 (airborne, unbound particles of respirable size)
Silica, crystalline	14808-60-7
Carc:	carcinogen , initial date 10/1/88 (airborne particles of respirable size)

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Carbon compound	Trade Secret
	1 %
Mica	12001-26-2
	1 %
Silica, crystalline	14808-60-7
	1 %

**Component Analysis - Inventory**

Silica compound (Trade Secret)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
No	DSL	No	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Severely hydrotreated paraffinic oil (Trade Secret)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	No

Limestone (1317-65-3)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	NSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Carbon compound (Trade Secret)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

**Polyphenol antioxidant (Trade Secret)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	No

**Naphtha, petroleum, light aliphatic (64742-89-8)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

**Polybutene (Trade Secret)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	No	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

**Mica (12001-26-2)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
No	DSL	No	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

**Solvent naphtha, petroleum, medium aliphatic (64742-88-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes

**Silica, crystalline (14808-60-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

---

**Section 16 - OTHER INFORMATION**

---

**HMIS Rating**



## Safety Data Sheet

**Material Name: Sure WhiteLap Sealant**

**Product #: 302174**

Health: 1 Fire: 3 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### **NFPA Ratings**

Health: 1 Fire: 3 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### **Summary of Changes**

New SDS: March 17, 2015

### **Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

### **Other Information**

#### **Disclaimer:**

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.